

according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ASEPTODERM 2% CHG COLOURED

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Skin disinfectant

1.3. Details of the supplier of the safety data sheet

Company name:	Dr. Schumacher GmbH	
Street:	Am Roggenfeld 3	
Place:	34323 Malsfeld / DEUTSCHLAND	
Telephone:	+49 (0) 5664/9496-0	Telefax: +49 (0) 5664/8444
e-mail:	post@schumacher-online.com	
Internet:	www.schumacher-online.com	
Responsible Department:	Responsible for the safety data sheet: so	ls@gbk-ingelheim.de
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 6132 - 8446	
<u>number:</u>	In England and Wales: NHS 111 In Scot	land: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquids: Flam. Liq. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Propan-2-ol.

Signal word: **Pictograms:**



Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P210



according to Regulation (EC) No 1907/2006

	ASEPTODERM 2% CHG COLOURED	
Revision date: 30.01.2023	Product code: 00320-0216-GHS	Page 2 of 10
P233	Keep container tightly closed.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P501	Dispose of contents/container to approved disposal company or local collection.	

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification		·	
67-63-0	Propan-2-ol			60 - 66 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336	•	
18472-51-0	Chlorhexidine digluconate			< 2,5 %
	242-354-0		01-2119946568-22	
	Eye Dam. 1, Aquatic Acute 1, Aqu	atic Chronic 1; H318 H400 H4	10	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
18472-51-0	242-354-0	Chlorhexidine digluconate	< 2,5 %
	Aquatic Acute 1 Aquatic Chronic		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of symptoms refer for medical treatment.

After contact with skin

No specific precautions required.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 3 of 10

Seek medical treatment by eye specialist.

After ingestion

Summon a doctor immediately. Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire may produce: carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Keep away from sources of ignition - No smoking. Vapours are heavier than air and spread along ground. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure adequate ventilation. Keep away sources of ignition. Keep away noninvolved persons.

For non-emergency personnel

Do not breathe vapours.

Avoid contact with skin, eyes and clothing.

For emergency responders

In case of vapour formation use respirator. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).



according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 4 of 10

Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep tightly closed. Use only in thoroughly ventilated areas.

Advice on protection against fire and explosion

Do not smoke - volatile.

Keep product and empty container away from heat and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Skin disinfectant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

When using do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

Do not breath vapours or spray mist.

Avoid contact with the eyes.

Eye/face protection

If used properly, no need to wear eye protection. Otherwise wear protective goggles with integrated side shields.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).



according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 5 of 10

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and che	mical properties	
Physical state:	Liquid	
Colour:	Dark red	
Odour:	Alcoholic	
pH-Value:	6,5 - 8,0	
Changes in the physical state		
Melting point/freezing point:	< - 20 °C	
Boiling point or initial boiling point and boiling range:	> 85 °C	
Sublimation point:	n.a.	
Softening point:	n.d.	
Flash point:	20 °C	
Sustaining combustion:	Sustaining combustion	
Flammability Solid/liquid:	n 2	
Gas:	n.a. n.a.	
-	n.a.	
Explosive properties The product is considered non-explos	sive; nevertheless explosive vapour/air mixture can be	generated.
Lower explosion limits:	2 vol. %	
Upper explosion limits:	12 vol. %	
Auto-ignition temperature:	> 485 °C	
Self-ignition temperature Solid: Gas:	n.a. n.a.	
Decomposition temperature:	n.d.	
Oxidizing properties		
Not oxidising.		
Vapour pressure:	n.d.	
Density (at 20 °C): Bulk density:	0,881 g/cm³ n.a.	
Water solubility:	Miscible	
(at 20 °C)	MISCIDIC	
Solubility in other solvents n.d.		
Partition coefficient n-octanol/water:	n.d.	
Viscosity / dynamic: (at 20 °C)	approx. 9 mPa·s	
Viscosity / kinematic:	n.d.	
Flow time:	n.d.	
Relative vapour density:	n.d.	
Evaporation rate:	n.d.	
Solvent separation test:	n.d.	
Solvent content:	60% - 66%	



according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 6 of 10

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming. Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

No hazardous decomposition products known.

Fire may produce: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Propan-2-ol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.



according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 7 of 10

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available. Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Propan-2-ol

Readily biodegradable (to OECD criteria).

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Severe hazard to waters.

Further information

Do not discharge into surface waters/groundwater.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of contents/container to approved disposal company or local collection.

List of Wastes Code - residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product. Water

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1219
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3



according to Regulation (EC) No 1907/2006

	ASEPTODERM 2% CHG COLOURED	
Revision date: 30.01.2023	Product code: 00320-0216-GHS	Page 8 of 10
Classification code:	F1	
Limited quantity:	1 L / 30 kg E2	
Excepted quantity: Transport category:	2	
Hazard No:	33	
Tunnel restriction code:	D/E	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 1219	
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
	*	
	3	
Classification code:	F1	
Limited quantity:	1 L / 30 kg	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number:	UN 1219	
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
	3	
Marine pollutant:	No	
Limited quantity:	1 L / 30 kg	
Excepted quantity: EmS:	E2 F-E, S-D	
	Г- <u>с</u> , 3-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:		
14.2. UN proper shipping name:	ISOPROPANOL (ISOPROPYL ALCOHOL)	
14.3. Transport hazard class(es):	3 II	
<u>14.4. Packing group:</u> Hazard label:	3	
	3	
	3	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364	
IATA-packing instituctions - Cargo: IATA-max. quantity - Cargo:	504 60 L	
14.5. Environmental hazards		

14.5. Environmental hazards



according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 9 of 10

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

14.7. Maritime transport in bulk according to IMO instruments

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75	
2004/42/EC (VOC):	63 %
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

Changes in section: 3, 4, 9, 14, 15, 16

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

- RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
- ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

3 - highly hazardous to water

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
- CAS = Chemical Abstract Service
- EN = European norm
- ISO = International Organization for Standardization
- DIN = Deutsche Industrie Norm
- PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

- LD = Lethal dose
- LC = Lethal concentration
- EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration



according to Regulation (EC) No 1907/2006

ASEPTODERM 2% CHG COLOURED

Revision date: 30.01.2023

Product code: 00320-0216-GHS

Page 10 of 10

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

The provision of the safety data sheet does not automatically guarantee the marketability of the product. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)